



Fig. 5 Through-thickness distributions of stresses for a hybrid three-layer cylindrical shell: SaS formulation for $\gamma = 2$ and $l_1 = l_2 = l_3 = 13$

7. CONCLUSIONS

A robust SaS formulation for the coupled steady-state thermal stress analysis of layered piezoelectric shells has been proposed. It is based on a new concept of SaS located at Chebyshev polynomial nodes throughout the layers and interfaces as well. As a result, the developed SaS formulation gives an opportunity to obtain the Ritz solutions for layered cylindrical shells with embedded piezoelectric sensors and actuators with a prescribed accuracy, which can asymptotically approach the 3D exact solutions of thermopiezoelectricity as the number of SaS goes to infinity.

REFERENCES

- Burden, R.L. and Faires, J.D. (2010), *Numerical Analysis*, (9th Edition), Brooks/Cole, Cengage Learning, Boston, USA.
- Cheng, Z.Q. and Batra, R.C. (2000), "Three-dimensional asymptotic scheme for piezothermoelastic laminates", *J. Therm. Stress*, **23**, 95–110.
- Dube, G.P., Kapuria, S. and Dumir, P.C. (1996), "Exact piezothermoelastic solution of simply-supported orthotropic flat panel in cylindrical bending", *Int. J. Mech. Sci.*, **38**, 1161–1177.
- Kapurja, S., Dumir, P.C. and Sengupta, S. (1997a), "An exact axisymmetric solution for a simply supported piezoelectric cylindrical shell", *Arch. Appl. Mech.*, **67**, 260–273.
- Kapurja, S., Sengupta, S. and Dumir, P.C. (1997b), "Three-dimensional solution for a hybrid cylindrical shell under axisymmetric thermoelectric load", *Arch. Appl. Mech.*, **67**, 320–330.
- Kulikov, G.M. (2001), "Refined global approximation theory of multilayered plates and shells", *J. Eng. Mech.*, **127**, 119–125.
- Kulikov, G.M. and Carrera, E. (2008), "Finite deformation higher-order shell models and rigid-body motions", *Int. J. Solids Struct.*, **45**, 3153–3172.
- Kulikov, G.M. and Plotnikova, S.V. (2011), "On the use of a new concept of sampling surfaces in a shell theory", *Adv. Structured Mater.*, **15**, 715–726.
- Kulikov, G.M. and Plotnikova, S.V. (2012), "On the use of sampling surfaces method for solution of 3D elasticity problems for thick shells", *ZAMM – J. Appl. Math. Mech.*, **92**, 910–920.
- Kulikov, G.M. and Plotnikova, S.V. (2013), "Advanced formulation for laminated composite shells: 3D stress analysis and rigid-body motions", *Compos. Struct.*, **95**, 236–246.
- Kulikov, G.M. and Plotnikova, S.V. (2015a), "Exact 3D thermoelectroelastic analysis of piezoelectric plates through a sampling surfaces method", *Mech. Adv. Mater. Struct.*, **22**, 33–43.
- Kulikov, G.M., Mamontov, A.A. and Plotnikova, S.V. (2015b), "Coupled thermoelectroelastic stress analysis of piezoelectric shells", *Compos. Struct.*, **124**, 65–76.
- Kulikov, G.M. and Plotnikova, S.V. (2016), "An analytical approach to three-dimensional coupled thermoelectroelastic analysis of functionally graded piezoelectric plates", *J. Intel. Mater. Systems Struct.*, **17**, <http://dx.doi.org/10.1177/1045389X15588627>.

- Ootao, Y. and Tanigawa, Y. (2000), "Three-dimensional transient piezothermoelasticity for a rectangular composite plate composed of cross-ply and piezoelectric laminae", *Int. J. Eng. Sci.*, **38**, 47–71.
- Ootao, Y. and Tanigawa, Y. (2002a), "Transient piezothermoelasticity for a cylindrical composite panel composed of cross-ply and piezoelectric laminae", *Int. J. Mech. Sci.*, **44**, 1861–1877.
- Ootao, Y. and Tanigawa, Y. (2002b), "Transient piezothermoelasticity for a cylindrical composite panel composed of angle-ply and piezoelectric laminae", *Int. J. Solids Struct.*, **39**, 5737–5752.
- Shang, F., Wang, Z. and Li, Z. (1997), "Analysis of thermally induced cylindrical flexure of laminated plates with piezoelectric layers", *Compos. Part B*, **28**, 185–193.
- Tarn, J.Q. (2002), "A state space formalism for piezothermoelasticity", *Int. J. Solids Struct.*, **39**, 5173–5184.
- Tarn, J.Q. and Chang, H.H. (2008), "A refined state space formalism for piezothermoelasticity", *Int. J. Solids Struct.*, **45**, 3021–3032.
- Vel, S.S. and Batra, R.C. (2003), "Generalized plane strain thermopiezoelectric analysis of multilayered plates", *J. Therm. Stress*, **26**, 353–377.
- Wu, C.P., Chiu, K.H. and Wang, Y.M. (2008), "A review on the three-dimensional analytical approaches of multilayered and functionally graded piezoelectric plates and shells", *Comput. Mater. Continua*, **8**, 93–132.
- Wu, C.P. and Liu, Y.C. (2016), "A review of semi-analytical numerical methods for laminated composite and multilayered functionally graded elastic/piezoelectric plates and shells", *Compos. Struct.*, **147**, 1–15.
- Xu, K, Noor, A.K. and Tang, Y.Y. (1995), "Three-dimensional solutions for coupled thermoelectroelastic response of multilayered plates", *Comput. Meth. Appl. Mech. Eng.*, **126**, 355–371.
- Xu, K. and Noor, A.K. (1996), "Three-dimensional analytical solutions for coupled thermo-electroelastic response of multilayered cylindrical shells", *AIAA J.*, **34**, 802–810.
- Zhang, C., Di, S. and Zhang, N. (2002a), "A new procedure for static analysis of thermo-electric laminated composite plates under cylindrical bending", *Compos. Struct.*, **56**, 131–140.
- Zhang, C., Cheung, Y.K., Di, S. and Zhang, N. (2002b), "The exact solution of coupled thermoelectroelastic behavior of piezoelectric laminates". *Comput. Struct.*, **80**, 1201–1212.
- Zhong, Z. and Shang, E.T. (2005), "Exact analysis of simply supported functionally graded piezothermoelectric plates", *J. Intel. Mater. Systems Struct.*, **16**, 643–651.